



महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण

(महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण अधिनियम, २००५ चे कलम ३ अन्वये स्थापित वैधानिक प्राधिकरण)

Maharashtra Water Resources Regulatory Authority

(A Statutory Authority Established u/s 3 of Maharashtra Water Resources Regulatory Authority Act, 2005)



Inviting Quotation for VC System

No. MWRA/Estt.2024/VC System/56

Date:-16/01/2024

Sealed quotation for procurement of equipment for Video Conference system as per specifications given below are hereby invited by the Authority. The quotation should be submitted on or before 23rd of January, 2024 by 3:00 p.m. on the office address of the Authority.

No.	Components	Specification	Qty	GST/ Any other Charges	Total Amount (Rs.)
1	Medium size camera	<ul style="list-style-type: none"> Video/Camera: 4K wide-angle Lens type: 7 element low distortion lens Video resolution : Up to 2160p @ 30fps Zoom : 8x digital Pan-tilt-zoom (PTZ) : ePTZ Field of view (FOV) : 95° (Horizontal) / 62° (Vertical) / 103° (Diagonal) Depth of Field : Fixed, with a focus range from 1 - 6 m / 3,3 – 19,8 ft Intelligent picture framing AI™ powered : for eliminating white spaces Hardwired privacy switches : Integrated motorized privacy shutter Network & Connectivity : USB mode (USB A / USB C) Warranty : 2 years Minimum Brain ADAPT / Similar technology for sending high resolution Warranty 2 years 	1		
2	Speaker with Mic for 16 Seats	<ul style="list-style-type: none"> Speakerphone weight 980 g / 34.57 oz Speakerphone dimensions 315.6 	1		

D:\Users\HP\Desktop\Keluskar\Display Screens for Conference & VC system.docx

		<p>(L) x 118.6 (W) x 46.1 mm (H) 12.4 (L) x 4.7 (W) x 1.8 in (H)</p> <ul style="list-style-type: none"> • Supported operating systems Windows and Mac • Warranty 2 years • Technology For a clear and natural listening experience. Beam forming digital MEMS omnidirectional microphones (6 microphones) • Microphone 6 digital MEMS omnidirectional microphones • Microphone frequency response : 150 - 7,500 Hz • Microphone coverage :360 degrees • Speaker type Neodymium ring magnet speaker (magnet mass: 42 g / 1,48 oz) • Speaker frequency response 50 – 7,500 Hz (communication) 50 – 20,000 Hz (audio streaming) • Music-Audio performance Rich and authentic music reproduction through powerful ultra-low distortion speaker with dynamic equalizer and bass enhancement in a unique suspended speaker box. • Max Sound Pressure 85 dB Communication-Audio performance • Exceptional conversation experience with excellent speech intelligibility and double-talk performance, even in challenging environments. Achieved through a highly advanced beam forming and echo cancelling system. • Speaker box highly rigid and well damped speaker chamber isolated from the remaining construction via a unique vibration cancelling suspension. • Fabric The Kvadrat fabric is specifically selected for its resonance damping abilities ensuring highs without sharp peaks and lows with superior responsiveness. Overall this contributes to a smooth sounding system providing voices with warmth and clarity. • Kensington lock support Supports Kensington lock inside or outside the product for a neat installation. Optimized for combination locks 		
--	--	---	--	--

		with T-bar interface and wire less than Ø5mm. <ul style="list-style-type: none"> • Technology Bluetooth® Version 5.0, supported profiles: A2DP 1.3.1 + AVCTP 1.4 + AVDTP 1.3 + AVRCP 1.6 + DID 1.3 + GAVDP 1.3 + HFP 1.7 + HSP 1.2 + RFCOMM 1.2 • Wireless Range Up to 30 m / 98 ft • LED indicators: Volume /mute, Bluetooth®, activity, Microsoft Teams notifications • Connectivity : USB A / USB C • Bluetooth Dongle • Brain ADAPT / Similar technology for sending high resolution • Warranty 2 years 			
3	Docking station	<ul style="list-style-type: none"> • Any Brand : Targus, Alogic • Connectivity : USB A / USB C • PORTS required : • 1 HDMI • 2 USB A • 1 USB C 			

Note:-

- 1) The Service provider should quote the rate as per the specification and quantity mentioned above.
- 2) Only authorized dealers / service providers should their quotations.
- 3) The quotation will be rejected if not submitted in above format.


 (Dr. Ramnath Sonawane)
 Secretary, MWRRA

